INDEX

In this index the page numbers in *italic* refer to pages in Chapters 12 through 17, and Appendixes F through N, which are located on the CD that accompanies this book. Pages in the problem Workbook are indexed separately, and that index will be found in the Workbook itself as well as proceeding this index..

A

Absolute pressure (psia), 68, 71–72, 468
Absolute temperature, 60
Absorbers, 412
Accumulation, material balance, 103
Acentric factors, 375, 845–849
Adiabatic cooling line, 659–665
Adiabatic reaction, 622–626
Adiabatic systems, energy balances, 492–493
Adsorbate, 757
Adsorbent, 757
Adsorption, gases or liquids on solids
  definition, 757
  practice problems, 766–767
Adsorption isotherms
  combining with material balance, 762–763
  curves for, 757–759
  fitting to experimental data, 760
  Freundlich, 758–761
  Langmuir, 759–761
AE system of units, 13, 15
Air, average molecular weight, 40–41
Airplane crash, 12
Ali Baba and the 39 camels, 46–47
Answers to questions and problems, 829–843, 854–859
Antoine equation, 425–427
API scale, 52
Armour's laws of ignorance, 130
Atmospheric pressure, 70
Atomic weight, 38–42
Atomic weights and numbers, table of, 844
Average molecular weight, 40–41
Azeotropes, 459

B

Bank statement analogy for material balance, 102–103
Barite fusion, 227–230
Barometric pressure, 68
Bases, changing, 47–48
Basic dimensions. *See* Fundamental dimensions.
Basic units. *See* Fundamental units.
Basis
  changing bases, 47–48
  choosing, 44–48
  definition, 44
  practice problems, 90–91

Index.indd 929 27/03/12 11:17 PM

Batch processes
definition, 111
distillation, material balances for unsteady-state processes, 810–812
work performed by, 732–733
Benedict-Webb-Rubin (BWR) equation, 368
Bernoulli equation, 742
Bioengineering, 4–10
Bioengineers, 7
Biomass, heating, 561–563
Bioreactor analysis, 221–224
Block diagrams, 269
BOD (biochemical oxygen demand), 245
Boiling, 415
Boundaries, 108, 492
Bubble point
calculating, 462–465
definition, 415
Burning. *See* Combustion.
BWR (Benedict-Webb-Rubin) equation, 368

C

CAD (computer-aided design), 5
Calcination process, modeling, 816–817
Carbon sequestration, 9–10
Careers in chemical/bioengineering, 4–10
CCS (carbon capture and storage), 8–10
Cells, concentrating with centrifuges, 117–118
Cellular product, 244
Celsius (°C) scale, 60
Centrifuges, concentrating cells, 117–118
Checking for errors. *See* Validating results.
Chemical engineering, 4–10
Chemical process industries (CPI), 4–6
Chemisorption, 757
Chen's equation, 522
Chinook wind, 453
Citric acid production, 626–629
Closed processes, 108
Closed systems, 108, 492
CO_2 emissions, 8–10
Coal
combustion, 240–245
heating value, 638–639
COD (chemical oxygen demand), 245
Coefficient of performance (COP), 737, 748
Combustion, material balance
BOD (biochemical oxygen demand), 245
cellular product, 244
coal, 240–245
COD (chemical oxygen demand), 245
complete combustion, 234
excess air (oxygen), 234–236
extracellular product, 244
flue gas, 234
fuel cells, 237–239
generating electricity from methane, 237–239
ideal gases, 360–364
nitrogen source, 243
overview, 233
oxygen demand, 245
partial combustion, 234
practice problems, 261–266
stack gas, 234
substrates, 243
theoretical air (oxygen), 234
ThOD (theoretical oxygen demand), 245
TOD (total oxygen demand), 245
wet basis, 234
Combustion gases, enthalpies of, *871–872*
Combustion temperature. *See* Adiabatic reaction.
Complete combustion, 234
Component balance, 145
Compounds, definition, 40
Compressibility, real gases
compressibility charts, 377–383, 406–408
critical state, 372–376

Compressibility charts, 377–383, 406–408
Compressibility factor, 373, 378–383
Computer-aided design (CAD), 5
Concentration
  definition, 55
  examples of, 56
  mass concentration, 56
  molar concentration, 56
  practice problems, 91–94
Condensation
  at constant temperature, 417–418
  definition, 415
  two component gas/single-component liquid systems, 441–449
Conservation of energy, energy balances, 499–500, 530–532
Consumption, material balance, 103–104
Continuous distillation column, 165–167
Continuous filtration, recycle systems, 294–297
Continuous processes, 111
Conversion. *See also* Systems of units; *specific conversions*.
  in biological materials, 20–21
  frequent flier miles to U.S. miles, 23
  in heat capacity equations, 520
  moles/mass, 38–39
  nanotechnology, 20
  overview, 17
  pound mass *vs.* pound force, 21–23
  practice problems, 83–85
  reaction systems, 203
  temperature, 62–64
  weight *vs.* mass, 22–23
Conversion factors
  definition, 17
  example, 20
  pressure, 66
  tables of, 18–19
Cooling, humidity charts for, 668–669
Cooling towers, humidity charts for, 669–671
COP (coefficient of performance), 737, 748
Corrected, 389
Corresponding states, 373
Cox chart, 432–435
CPI (chemical process industries), 4–6
Critical state, 372–376

D

Dalton's law, 357–358
Decimal points. *See* Significant figures.
Degree of completion, 203
Degree-of-freedom analysis
  definition, 135
  example, 135–138
  multi-unit systems, 695–698
  processes using element balances, 691–692
  processes using species balances, 693
Degree-of-freedom analysis, steady-state processes
  components (species), 685
  equations, 685–687
  example, 687–690
  number of degrees, 684
  overview, 684–687
  practice problems, 700–707
  process specification, 690–691
  stream variables, 685
  variables, 684
Degrees of superheat, 416
Density
  calculating, 51–52
  definition, 49
  overview, 49–54
  practice problems, 91
Dependent equations, 134
Derived dimensions, 13
Derived units, 13
Dew point, calculating
  from relative humidity, 656
  two component gas/single-component liquid systems, 437–440

Dew point, calculating (*Continued*)
two component gas/two-component liquid systems, 462–465
Dew point, definition, 416
Difference equations, 104
Differential equations, 105
Dilution, heats of, *878*
Dimensional consistency
dimensionless groups, 26
of equations, 25–27
nondimensional groups, 26
overview, 25
practice problems, 85–88
van der Waals' equation, 25
Dimensionless groups, 26
Dimensions, 13
Dissolution, heats of, 709–715
Distillation, definition, 412
Distribution coefficient. *See K*-value.
DNA
efficiency of recovery, 115–116
micro-dissection, 31–34
Dry-bulb temperature, 654
Drying, 174–176

E

Efficiency
COP (coefficient of performance), 737
definition, 735–736
energy conservation, 737
general, 737
heat engine, 737
hydroelectric plants, 736
mechanical, 737
plants, 738
processes, 737
refrigeration cycle, 737
Egg trick, 159, 181
Electrical work, 502
Electricity, generating from methane, 237–239
Element material balances
degree-of-freedom analysis, 691–692
overview, 226–232
practice problems, 261
Endothermic reactions, 598
Energy, definition, 497
Energy balances. *See also* Mechanical energy balance.
adiabatic systems, 492–493
boundaries, 492
closed systems, 492
combined with material balances, 552–554
conservation of energy, 499–500, 530–531
equilibrium state, 492
flowsheeting codes. *See* Process simulation.
isobaric systems, 492–493
isochoric systems, 492–493
isothermal systems, 492–493
mixing, effects of, 715–722
open systems, 492
path variables, 493–494
phase, 492
practice problems, 569–572
state of a system, 492–493
state variables, 493
steady-state, 492
surroundings, 492
system, 492
transient state, 492
Energy balances, energy caused by reactions
adiabatic reaction, 622–626
endothermic reactions, 598
exothermic reactions, 598
heat of combustion, 635–642, 651–652
heat reaction, 603–614, 645–650
reference state, 598
sensible heat, 614–635, 650–651
standard heat of combustion, 635
standard heat of formation, 598–603, 614–636, 643–644, 650–651
standard state, 598
Energy balances, enthalpy (*H*)
absolute value, 515

calculating change in, 515
overview, 514–518
phase transitions, 516–517, 522–525
single phase, 514
tables and charts of, 525–529
Energy balances, properties
computer databases of, 529–530
definition, 492
extensive, 492
intensive, 492
Energy balances, types of energy
heat (*Q*), 497–501
heat capacity, 511–513, 518–522
heat of condensation, 517
heat of fusion, 517
heat of solidification, 517
heat of sublimation, 517
heat of vaporization, 517
internal energy (*U*), 511–513
kinetic energy (*KE*), 507–508
latent heat changes, 516
phase transitions, 516
potential energy (*PE*), 508–511
practice problems, 572–580
sensible heat changes, 516
work (*W*), 501–507
Energy balances without reactions
conservation of energy, 530–532
general energy balance for open systems, 542–546
practice problems, 580–595
steady-state, closed systems, 541–542
steady-state, open systems, 546–557
unsteady-state, closed systems, 533–541
unsteady-state, open systems, 557–566
Energy conservation. *See* Conservation of energy.
Enthalpy (*H*)
of combustion gases, *871–872*
of hydrocarbon vapor, *869*
of nitrogen, *870*
of sulfur compound vapors, *870*
Enthalpy (*H*), energy balances
absolute value, 515
calculating change in, 515
of combustion. *See* Heats of, combustion.
of formation. *See* Standard heat of formation.
overview, 514–518
phase transitions, 516–517, 522–525
single phase, 514
tables and charts of, 525–529
Enthalpy-concentration diagrams, 718–720, *879–884*
Equation solutions
independent linear equations, *889–900*
independent nonlinear equations, *900–904*
Equation-based process simulation, *772–777*
Equations. *See also specific equations*.
degree-of-freedom analysis, steady-state processes, 685–687
dimensional consistency, 25–27
element balance, *894–895*
homogenous, *897*
independent components in the Gibbs phase rule, *899–900*
nonhomogenous, *898–899*
reaction, *895*
Equations, independent
element balance, *894–895*
linear, *891–894*
nonlinear, *900–904*
reaction, *895*
Equations, linear
definition, *889–890*
independent, identifying, *891–894*
vs. nonlinear, 139
set of independent, *890–891*, *896–897*
Equations, nonlinear
independent, *900–904*
vs. linear, 139
Newton's method, *900–904*
Equations of state, 366–372, 403–406
Equilibrium, humidity charts, 659

Equilibrium pressure, 415
Equilibrium ratio *K*. *See K*-value.
Equilibrium state, energy balances, 492
Error checking. *See* Validating results.
Evaporation, 416
Evaporation of a liquid, work performed during, 730–731
Exactly specified, 135
Excess air (oxygen), 234–236
Excess reactants, 201–202
Exothermic reactions, 598
Extent of reaction, 198–201
Extracellular product, 244
Extraction processes, definition, 412

F

Fahrenheit (°F) scale, 60
Flow rate, 78
Flow systems. *See* Open systems.
Flow work, 502–503
Flowsheeting codes. *See* Process simulation.
Flowsheets. *See* Process simulators.
Flue gas, 234
Fluid warmer, 550–551
Force, definition, 21
Freezing, 416
Frequent flier miles, converting to U.S. miles, 23
Fresh feed, recycle systems, 291
Freundlich isotherms, 758–761
Friction factors, 742
Fuel cells, 237–239
Functions, fitting to data, *905–908*. *See also* Variables.
Fundamental dimensions, 13
Fundamental units, 13
Fusion. *See* Melting.

G

Gas chromatographic column, separating compounds, 171–174
Gases. *See also* Ideal gases; Real gases.
  density, 356–357
  in equilibrium with solids. *See* Adsorption, gases or liquids on solids.
  multiphase equilibrium, 413
  noncondensable, 413
  partial pressure, 357
  separating with a membrane, 162–166
  specific gravity, 357
Gasoline, material balance for blending, 118–119
Gauge pressure (psig), 68
General energy balance
  for multi-reaction processes, 617–622
  for multi-unit processes, 629–634
  for open systems, 542–546
General material balances, 104
Generalized compressibility. *See* Compressibility charts.
Generalized equation of state, 373–375
Generation, material balance, 103–104
Gibbs' phase rule, 421, *899–900*
Giragossian, Garabed, 531–532
Gordon's law, 124
Gram mole, 37
Green chemistry, 605–606
Gross product, recycle systems, 291
Group contribution method, 376

H

H (enthalpy). *See* Enthalpy (*H*).
Heads of fluids, 746
Heat (*Q*), in energy balances, 497–501
Heat capacity, 511–513, 518–522
Heat capacity equations, *873–876*
Heat engine efficiency, *737*
Heat reaction, 603–614, 645–650
Heat transfer, 497–498
Heating value, 637–638
Heats of
  combustion, 635–642, 651–652
  condensation, 517

dilution, *878*
dissolution, 709–715
formation. *See* Standard heat of formation.
fusion, 517
mixing, 709–715
practice problems, 724–727
solidification, 517
solution, 709–715, *878*
solution at infinite dilution, 710
sublimation, 517
vaporization, 517
Hemodialysis, 176–178
Henry's law, 457
HHV (higher (gross) heating value), 637–639
Holborn equation, 368
Home heating, humidity charts for, 667
Homogenous equations, *897*
Howe's law, 124
Humid heat, 673
Humid volume, 660
Humidification, 659–665, 668–669
Humidity, 654
Humidity charts
adiabatic cooling line, 659–665
definition, 657
dew point, calculating, 656
dry-bulb temperature, 654
equilibrium, 659
humid heat, 673
humid volume, 660
humidification, 659–665
humidity, 654
practice problems, 674–677
properties of moist air, 663–665
relative humidity, 654, 656
wet-bulb line, 658–659
wet-bulb temperature, 654–655
Humidity charts, uses for
cooling and humidification, 668–669
cooling towers, 669–671
home heating, 667
practice problems, 677–680
Hydrocarbon vapor, enthalpies of, *869*
Hydrocracking, 230–232
Hydroelectric plants, efficiency, 736
Hydrostatic head, 66–68, 95–97

I

Ideal critical specific volume, 379
Ideal gas constant, 351
Ideal gas law, 351–357
Ideal gas mixtures, 357–360
Ideal gases. *See also* Gases; Real gases.
enthalpies, 514
heat capacities, 519
internal energy, 514
material balance, 360–364
practice problems, 391–403
S.C. (standard conditions), 352–354
volume, calculating, 353–356
volumetric flow rate, 356
Ideal reduced volume, 379
Ideal reversible processes, 729–735
Ideal solution relations, 455–457
Ideal solutions, 709
Implicit equations, 146
Incremental (differential) heat of solution, 710
Independent equations, 133–135
Independent linear equations, *889–900*
Independent nonlinear equations, *900–904*
Industrial applications for material balance, 314–316
Initial condition, material balance, 103
Inorganic substances, physical properties of, *861–872*
Inputs, material balance, 103
Integral heat of solution, 710
Intensive properties, 421
Internal connections, 274
Internal energy (*U*), 511–513

Invariant systems, 423
Irreversible processes, 729
Isobaric systems, energy balances, 492–493
Isochoric systems, energy balances, 492–493
Isothermal systems, energy balances, 492–493

J

Jobs in chemical/bioengineering, 4–10

K

Kammerling-Onnes equation, 368
Kay's method, 384
KE (kinetic energy), 507–508
Kelvin (K) scale, 60
Kg mole, 37–38
Kidneys, dialysis, 176–178
Knowns, 126–132
Korean Air Lines freighter crash, 12
K-value (vapor-liquid equilibrium ratio), 460–462

L

Langmuir isotherms, 759–761
Latent heat changes, 516
Law of corresponding states. *See* Corresponding states.
Least squares application, *906*
LHV (lower (net) heating value), 637–639
Limiting reactants, 201–202
Linear equations. *See* Equations, linear.
Liquid water properties, 429
Liquids in equilibrium with solids. *See* Adsorption, gases or liquids on solids.

M

Manometer, 71–72
Mars Climate Orbiter, 17
Mass
  calculating, 52–54
  converting to/from moles, 38–39
  vs. weight, 22–23
Mass concentration, 56
Mass flow rate, 78
Mass fraction, 41–42, 56
Mass of reactants, calculating, 194
Mass per unit volume, 56
Material balance
  accumulation, 103
  bank statement analogy, 102–103
  combined with energy balances, 552–554
  consumption, 103–104
  definition, 102
  flowsheeting codes. *See* Process simulation.
  general, 104
  generation, 103–104
  industrial applications, 314–316
  initial condition, 103
  inputs, 103
  for multiple components, 112–119
  outputs, 103
  practice problems, 147–154
  process analysis, 314
  process optimization, 314
  process simulators, 314
  for single components, 105–107
Material balance for multi-unit systems. *See also* Recycle systems.
  block diagrams, 269
  bypass streams, 306–309, 343–345
  independent equations, 273
  internal connections, 274
  mixers, 270
  number of material balances, determining, 274–276
  overall process, 274
  overall total material balance, 271
  practice problems, 318–328
  process flowsheets, 268–270
  purge streams, 306–307, 309–312, 343–345

with reaction, 282–284
separators, 270
sequential combination of units, 271–278
splitters, 270
subsystems, 269–270
sugar recovery process, 284–287
without reaction, 278–282
Material balance problems, solving
Armour's laws of ignorance, 130
check answers, 141–142
choose a basis, 130–131
degree-of-freedom analysis, 132–138
identify known information, 126–129
identify unknown information, 131–132
label the diagram, 126–129
linear equations *vs.* nonlinear, 139
novice *vs.* expert, 142–143
obtaining missing data, 129–130
overview, 123–124
practice problems, 154–158
problem statement, 124–125
sketch the process, 126
solve equations, 140
specify system boundaries, 126
summary of steps, 142
write equations, 138–140
Material balance with reactions. *See also* Reaction systems; Species mole balances.
balancing a reaction equation for a biological reaction, 193
$BaSO_4$ fusion, 227–230
calculating the mass of reactants, 194
element balances, 226–232
hydrocracking, 230–232
for multiple reactions, 195–197
steps involved, 191–193
Material balance with reactions, combustion
BOD (biochemical oxygen demand), 245
cellular product, 244
coal, 240–245
COD (chemical oxygen demand), 245
complete combustion, 234
excess air (oxygen), 234–236
extracellular product, 244
flue gas, 234
fuel cells, 237–239
generating electricity from methane, 237–239
ideal gases, 363–364
nitrogen source, 243
overview, 233
oxygen demand, 245
partial combustion, 234
practice problems, 261–266
stack gas, 234
substrates, 243
theoretical air (oxygen), 234
ThOD (theoretical oxygen demand), 245
TOD (total oxygen demand), 245
wet basis, 234
Material balance without reaction
continuous distillation column, 165–167
drying, 174–176
hemodialysis, 176–178
ideal gases, 363–364
kidneys, dialysis, 176–178
mixing sulfuric acid, 168–171
practice problems, 181–188
separating gases with a membrane, 162–166
separation with gas chromatographic column, 171–174
streptomycin extraction, 160–162
tie components, 175
Maximum extent of reaction, 201–202
Mechanical efficiency, 737
Mechanical energy, 749

Mechanical energy balance
  Bernoulli equation, 742
  friction factors, 742
  orifice coefficients, 742
  overview, 740–742
  pumping water, 744–746
  steady-state, examples, 742–746
Mechanical work, 502, 504–505
Melting, 416
Melting curve, 416
Methane, generating electricity from, 237–239
Minimal set of equations, 217
Mixers, 270
Mixing
  effects on energy balances, 715–722
  heats of, 709–715
Mixtures, gases, 384–386, 408–410
Modular-based process simulation, 772, 777–781
Molar concentration, 56
Molar flow rate, 78
Mole fraction
  concentrations, 56
  definition, 41–42
Molecular weight
  overview, 38–42
  practice problems, 89–90
Moles. *See also* Species mole balances.
  calculating, 52–54
  converting to/from mass, 38–39
  definition, 37
  gram mole, 37
  kg mole, 37–38
  per unit volume, 56
  pound mole, 37
  practice problems, 89–90
  ratio of, 203–204
Multicomponent liquid-vapor equilibrium, 466–467, 486
Multiphase equilibrium. *See also* Single-component two-phase systems; Two component gas/single-component liquid systems; Two component gas/two-component liquid systems.
boiling, 415
bubble point, 415
condensation, 415, 417–418
degrees of superheat, 416
dew point, 416
equilibrium pressure, 415
evaporation, 416
freezing, 416
gases, 413
intensive properties, 421
invariant systems, 423
melting, 416
melting curve, 416
multicomponent liquid-vapor equilibrium, 466–467, 486
noncondensable gases, 413
normal boiling point, 416
normal melting point, 416
phase diagrams, 413–419
phase rule, 419–424
quality, 418
saturated liquid/vapor, 416
subcooled liquid, 416
sublimation, 416
sublimation curve, 416
sublimation pressure, 416
supercritical region, 416
superheated vapor, 416
total system volume, 421
triple point, 414
two-phase regions, 418
vapor, 413
vapor pressure, 415
vaporization, 416, 417–418

N

Nanotechnology, 20
Negative accumulation, 146
Newton's method, *900–904*
Nitrogen
  for cell growth, 56–57

enthalpies of, *870*
source, 243
Noncondensable gases, 413
Nonflow systems. *See* Closed systems.
Nonhomogenous equations, *898–899*
Nonideal gases. *See* Real gases.
Nonlinear equations. *See* Equations, nonlinear.
Normal boiling point, 416
Normal melting point, 416
Normalized. *See* Corrected.

O

Once-through conversion, recycle systems, 297
Open processes, 108
Open systems
definition, 108
energy balances, 492
general energy balance, 542–546
Open systems, energy balances without reactions
general energy balance, 542–546
steady-state, 546–557
unsteady-state, 557–566
Organic substances, physical properties of, *861–872*
Orifice coefficients, 742
Oscillating reactions, unsteady-state process material balances, 812–814
Outputs, material balance, 103
Overall conversion, recycle systems, 297
Overall process, 274
Overall (net) product, recycle systems, 291
Overall total material balance, 271
Overspecified, 135
Oxygen demand, 245

P

Paniker, P. K. N., 49
Partial combustion, 234
Parts per billion (ppb), 56
Parts per billion by volume (ppbv), 56
Parts per million (ppm), 56, 57–58
Parts per million by volume (ppmv), 56
Path variables, energy balances, 493–494
PE (potential energy), 508–511
Peng-Robinson (PR) equation, 368
Perpetual motion machine, 531–532
Phase
definition, 350, 421
energy balances, 492
Phase diagrams
overview, 413–419
practice problems, 470–472
vapor-liquid equilibria, 457–459
Phase equilibrium, 421. *See also* Multiphase equilibrium.
Phase rule, 419–424, 470–472
Phase transitions, 516–517, 522–525
Pitzer acentric factors. *See* Acentric factors.
Plants (factories), efficiency, 738
Plasma etching, 538–539
Point. *See* State.
Point function. *See* State variables.
Potential energy (*PE*), 508–511
Pound force, 21–23
Pound mass, 21–23
Pound mole, 37
Power, definition, 502
ppb (parts per billion), 56
ppbv (parts per billion by volume), 56
ppm (parts per million), 56, 57–58
ppmv (parts per million by volume), 56
PR (Peng-Robinson) equation, 368
Pressure
absolute (psia), 68
absolute *vs.* relative, 68, 71–72
atmospheric pressure, 70

Pressure (*Continued*)
barometric, 68
conversion, 70–71
conversion factors, 66
definition, 65
differences, calculating, 74–75
gauge pressure, 68
gauge (psig) scale, 68
hydrostatic, 66–68, 95–97
practice problems, 95–97
standard atmosphere, 70
static columns, 66
vacuum, 68, 72–73
Problem solving, novices *vs.* experts, 142–143
Process analysis, material balance, 314
Process feed, recycle systems, 291
Process flowsheets, 268–270
Process matrix, 777
Process optimization, material balance, 314
Process simulation
definition, 768
equation-based method, 772–777
modular-based method, 772, 777–781
overview, 768–773
practice problems, 782–799
process matrix, 777
vendors of commercial simulators, 771
Process simulators, material balance, 314
Processes
batch, 111
closed, 108
continuous, 111
efficiency, 737
ideal reversible, 729–735
irreversible, 729
open, 108
pseudo steady-state, 109
quasi steady-state, 109
reversible, 729
semi-batch, 111
steady-state, 108–110
unsteady-state, 110–111
visual diagrams of. *See* Process flowsheets.
Properties
definition, 349
intensive, 421
liquid water, 429
saturated water, 427–428
Properties, physical
inorganic substances, *861–872*
organic substances, *861–872*
petroleum fractions, *887–888*
tables of, *861–872*
Pseudo steady-state processes/systems, 109
Pseudocritical constants, 378
Pseudocritical ideal volume, 385
Pseudocritical values, 384
Pseudoreduced ideal volume, 385
Pseudoreduced variables, 385
psia (absolute pressure), 68, 71–72, 468
psig (gauge pressure), 68
Psychrometric charts. *See* Humidity charts.
Psychrometric line. *See* Wet-bulb line.
Pumping water
mechanical energy balance, 744–746
power calculation, 554–555

Q

Q (heat). *See* Heat.
Quality, 418
Quasi steady-state processes/systems, 109

R

Rankine (°R) scale, 60
Raoult's law, 455–457
Reactants, calculating mass of, 194
Reaction equations, balancing for a biological reaction, 193

Reaction systems. *See also* Material balance with reactions.
calculations, 205–208
conversion, 203
degree of completion, 203
excess reactants, 201–202
extent of reaction, 198–201
limiting reactants, 201–202
maximum extent of reaction, 201–202
practice problems, 253–258
ratio of the moles, 203–204
selectivity, 203–204
yield, 204–205
Real gases. *See also* Gases; Ideal gases.
acentric factor, 375
compressibility factor, 373, 378–383
corresponding states, 373
critical state, 372–376
enthalpies, 514
equations of state, 366–372, 403–406
generalized equation of state, 373–375
group contribution method, 376
ideal critical specific volume, 379
ideal reduced volume, 379
internal energy, 514
Kay's method, 384
mixtures, 384–386, 408–410
pseudocritical constants, 378
pseudocritical ideal volume, 385
pseudocritical values, 384
pseudoreduced ideal volume, 385
pseudoreduced variables, 385
reduced variables, 373
supercritical fluids, 373
UNIFAC method, 376
UNIQUAC method, 376
virial equations, 369
Real gases, compressibility
compressibility charts, 377–383, 406–408
critical state, 372–376
Real gases, pressure calculations
compressibility factor, 382–383
real gas mixtures, 385–386
Redlich-Kwong (RK) equation, 370–372
Real gases, volume calculations
compressibility factor, 380–382
real gas mixtures, 385–386
Redlich-Kwong (RK) equation, 370–372
Real solutions, 709
Recycle stream, 290–291
Recycle systems. *See also* Material balance for multi-unit systems.
continuous filtration, 294–297
fresh feed, 291
gross product, 291
once-through conversion, 297
overall conversion, 297
overall (net) product, 291
practice problems, 328–343
process feed, 291
with reaction, 297–303
recycle stream, 290–291
reflux, 293
without reaction, 293–297
Redlich-Kwong (RK) equation, 368, 370–372
Reduced variables, 373
Reference state, 598
Reference substance, 433
Reference substance plots, 432–435, 568
Reflux, 293
Refrigeration cycle efficiency, 737
Relative error, 81
Relative humidity, 654, 656
Relative saturation. *See* Relative humidity.
Relative temperature, 60
Required air (oxygen). *See* Theoretical air.
Reversible processes, 729
Riedel's equation, 523
RK (Redlich-Kwong) equation, 368, 370–372
Rounding to significant figures, 30

S

Saturated liquid/vapor, 416
Saturated water properties, 427–428
Saturation, two component gas/single-component liquid systems, 437–440
S.C. (standard conditions), 352–354
Selectivity, 203–204
Semi-batch processes, 111
Sensible heat, 614–635, 650–651
Sensible heat changes, 516
Separation systems, examples of, 412–413
Separation with gas chromatographic column, 171–174
Separators, 270
Sequential combination of units, 271–278
Set of independent equations, *890–891*, *896–897*
Shaft work, 502–503
SI system of units
  vs. AE system of units, 13
  definition, 13
  prefixes, 14
  summary of units, 14
Significant figures, 29–36, 88
Simulation. *See* Process simulation.
Single phase enthalpy, 514
Single-component two-phase systems. *See also* Multiphase equilibrium.
  Antoine equation, 425–427
  liquid water properties, 429
  practice problems, 472–476
  prediction via equations, 425–427
  saturated water properties, 427–428
  steam tables, 427–432
  superheated steam properties, 428–429
  thin film deposition, 426–427
  vaporizing metals, 426–427
Single-component two-phase systems, vapor pressures
  reference substance, 433
  from reference substance plots, 432–435
  from tables, 427–432
Single-pass fraction conversion. *See* Once-through conversion.
Smokestack emissions, 446–449
SO_2 emissions, 639–640
Soave-Redlich-Kwong (SRK) equation, 368
Solutes, 709
Solution
  definition, 81
  heats of, 709–715, *878*
Solution at infinite dilution, heats of, 710
Solvents, 709
Species mole balances. *See also* Material balance with reactions.
  bioreactor analysis, 221–224
  degree-of-freedom analysis, 693
  minimal set of equations, 217
  multiple-reaction processes, 216–224
  practice problems, 258–261
  single-reaction processes, 210–214
  for a specified fraction conversion, 214–216
Specific gravity
  calculating density, 51–52
  calculating mass and moles, 52–54
  definition, 50–52
  practice problems, 91
Specific volume, definition, 50
Splitters, 270
SRK (Soave-Redlich-Kwong) equation, 368
Stack gas, 234
Standard atmosphere, 70
Standard conditions (S.C.), 352–354
Standard conditions of temperature, 60
Standard heat of combustion, 635, 850–853
Standard heat of formation
  converting from standard heat of combustion, 636

definition, 598
integration with sensible heat, 614–635, 650–651
overview, 598–603
practice problems, 643–644
table of, 850–853
Standard state, 598
State of a system
definition, 349
energy balances, 492–493
State variables, energy balances, 493
Static columns, 66
Steady-state
closed systems, energy balances without reactions, 541–542
energy balances, 492
open systems, energy balances without reactions, 546–557
processes/systems, 108–110
Steam tables, 427–432
Stoichiometric coefficients, 192
Stoichiometric quantity, 192
Stoichiometric ratios, 192
Stoichiometry, definition, 190
Stoichiometry, solving problems with
balancing a reaction equation for a biological reaction, 193
calculating the mass of reactants, 194
for multiple reactions, 195–197
practice problems, 248–253
steps involved, 191–193
Stream variables for degree-of-freedom analysis, steady-state processes, 685
Streptomycin extraction, 160–162
Subcooled liquid, 416
Sublimation, 416
Sublimation curve, 416
Sublimation pressure, 416
Substrates, 243
Subsystems, 269–270
Sugar recovery process, 284–287
Sulfur compound vapors, enthalpies of, *870*
Sulfuric acid, mixing, 168–171
Supercritical fluids, 373
Supercritical region, 416
Superheated steam properties, 428–429
Superheated vapor, 416
Surroundings, energy balances, 492
Symbols
extent of reaction, 198
general energy balance, 544
used in this book, 129
Systems
closed, 108
definition, 108
energy balances, 492
open, 108
pseudo steady-state, 109
quasi steady-state, 109
steady-state, 108–110
unsteady-state, 110–111
Systems of units. *See also* AE system of units; Conversion; SI system of units.
derived dimensions, 13
derived units, 13
dimensions, 13
fundamental dimensions, 13
fundamental units, 13
practice problems, 82
units, 13

T

Temperature
absolute scale, 60
Celsius (°C) scale, 60
conversions, 62–64
Fahrenheit (°F) scale, 60
kelvin (K) scale, 60
measuring, 60
practice problems, 94–95
Rankine (°R) scale, 60
relative scale, 60
standard conditions of, 60
Theoretical air (oxygen), 234
Theoretical flame. *See* Adiabatic reaction.

Thermodynamic charts, *885–886*
Thin film deposition, 426–427
ThOD (theoretical oxygen demand), 245
Tie components, 175
TOD (total oxygen demand), 245
Total system volume, 421
Transient state. *See* Unsteady-state.
Triple point, 414
Two component gas/single-component liquid systems. *See also* Multiphase equilibrium.
  condensation, 441–449
  dew point, calculating, 437–440
  practice problems, 476–481
  saturation, 437–440
  vaporization, 450–454
Two component gas/two-component liquid systems. *See also* Multiphase equilibrium.
  azeotropes, 459
  bubble point, calculating, 462–465
  dew point, calculating, 462–465
  ideal solution relations, 455–457
  K-value (vapor-liquid equilibrium ratio), 460–462
  practice problems, 481–485
  Raoult's law, 455–457
  vapor-liquid equilibria phase diagrams, 457–459
Two-phase regions, 418

U

U (internal energy), 511–513
Underspecified, 135
UNIFAC method, 376
UNIQUAC method, 376
Unique solution, 147
Units, 13. *See also* Conversion; Systems of units.
Universe, definition, 729
Unknowns, 126–132
Unsteady-state processes, definition, 110–111
Unsteady-state processes, energy balances
  example, 814–816
  modeling a calcination process, 816–817
  practice problems, 820–826
Unsteady-state processes, energy balances without reactions
  closed systems, 533–541
  open systems, 557–566
Unsteady-state processes, material balances
  in batch distillation, 810–812
  oscillating reactions, 812–814
  overview, 800–804
  practice problems, 820–826
  without generation, 804–810

V

Vacuum, 68, 72–73
Validating results, 36–37
van der Waals' equation, 25, 368
Vapor, 413
Vapor pressure, 415, *877*
Vaporization
  at constant temperature, 417–418
  definition, 416
  of metals, 426–427
  two component gas/single-component liquid systems, 450–454
Vapor-liquid equilibria phase diagrams, 457–459
Variables for degree-of-freedom analysis, steady-state processes, 684. *See also* Functions.
Vendors of commercial simulators, 771
Virial equations, 369
Volumetric flow rate, 78, 356

W

Water properties, 427–429
Watson's equation, 523

Weight *vs.* mass, 22–23
Well-mixed system, 317
Wet basis, 234
Wet-bulb line, 658–659
Wet-bulb temperature, 654–655
White oil, 466–467
Work (*W*)
  in a batch process, 732–733
  electrical, 502
  in energy balances, 501–507
  during evaporation of a liquid, 730–731
  flow, 502–503
  mechanical, 502, 504–505
  shaft, 502–503
Working in chemical/bioengineering, 4–10

Y

Yield, 204–205

Z

z factor charts. *See* Compressibility charts.

Index.indd 946 27/03/12 11:17 PM

PROBLEMS WORKBOOK INDEX

Index.indd 947 27/03/12 11:17 PM

A

Absolute pressure…….....….14
Absorption…….....….23
Adiabatic flame temperature….....135
Adiabatic process…….....127
Ammonia synthesis….....….…...36
Annealing oven……....….....106

B

Blower…….....102
Bubble point…….....92

C

Combustion……...31, 40, 42-44, 48, 67
Compressibility…….....84-86
Compression……..…...139-140
Compressor…….....140
Concentration…….....7
Condensation…….....….94
Conversion to units…….....….....1-4
Conversion (reactants)…….....…...39
Cox chart…….….....….88
Crystallizer…….….....33-34

D

Density…….....6
Dew point…….....138, 145, 149
Displacement meter……...…...30
Distillation….....25-26
Dry bulb temperature….....152
Dryer…….....98, 147

E

Energy balances….....120
Enthalpy calculations….....112-114
Equations, solution of….....21
Evaporation…….....45-48, 143
Evaporator…….....122
Excess reactant….....39
Expansion of gas…….....120
Extensive variable…….....101

F

Flashcombustion…….....….....48
Furnace…….....….....4, 106, 134

G

Gases…….....….....71
Gas meter……...…….....31
Gauge pressure…….....14
Gypsum…….....….....35

H

Heat capacity……..….....9, 111-112
Heat exchanger….....115-116
Heat of formation….....…129
Heat of reaction…….....…128
Heat transfer….....105, 109
Heat transfer coefficient….....4
Humidity…….....138, 146, 149
Humidity charts.....146-149

I

Ideal gas…….....…71-78
Intensive variable…….....101

K

Kay's method…….....87
Kinetic energy…….....……104

L

Limiting reactant…….....…….39

M

Manometer…….....…12-13
Material balances.....19, 27
Membranes…….....….78-80
Mixing…….....……..…28
Mole…….....……..….5
Mole fraction…….....……..6, 8

N

Nozzle…….....2

O

Orifice meter…….....30

P

Packed column…….....53

Packing…….....……53

Percent relative humidity.....…149

Potential energy…….....104

ppb…….....…7

ppm…….....7

Pressure…….....10-14

Pressure gage…….....11

Pressure measurement…….....10

Pressure swing absorption….....23

Problem solving…….....19

Pseudo critical method…..…..87

Pyrites……..…..…48

Pump…….....102

R

Raoult's Law…….....92

Reactor ….....35, 37, 56, 59, 82, 130

Redlich-Kwong equation….....84

Relative humidity.....138, 146, 149

Relative saturation…….....137

Rotameter…….....30

S

Saturation…….....90-91, 137-138

Separator…….....57

Shock tunnel…….....……125

Solution of equations….....….....21

Standard heat of reaction…….....128

Steam chest…….....121, 123

Specific gravity…….....……..…6

Specific heat capacity…….....…9

Slurry reactor…….....……..56

Spreadsheet…….....21

Still (see distillation)

Stoichiometry…….....35-39

Sulfur dioxide…….....…48

Sulfuric acid…….....….52-54, 81-86

System…….....47, 103

T

Temperature conversion…….....…9

Titanium dioxide…….....……..…55

U

Units…….....….1

V

Vapor-liquid separation.....….57

Vapor pressure…88-101, 137, 117-118

W

Weight fraction…….....……8

Wet bulb temperature….....…149

Wheatstone bridge….....…31

Wine…….....…7

Work…….....101, 105, 120

Index.indd 949 27/03/12 11:17 PM

Index.indd 950 27/03/12 11:17 PM

Index.indd 951 27/03/12 11:17 PM

Index.indd 952 27/03/12 11:17 PM

Index.indd 953 27/03/12 11:17 PM

Index.indd 954 27/03/12 11:17 PM

Index.indd 955 27/03/12 11:17 PM

Index.indd 956 27/03/12 11:17 PM

Index.indd 957 27/03/12 11:17 PM

Index.indd 958 27/03/12 11:17 PM

Index.indd 959 27/03/12 11:17 PM

Index.indd 960 27/03/12 11:17 PM